

Buchanan | Buchanan 6 Series

TE Internal #: 1-1437654-9

Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 20 Position, 9.53 mm

[.375 in] Centerline, 1 Row, Buchanan 6 Series, Barrier Strips

View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips









Barrier Strip Style: Tri-Barrier

Bottom Termination Type: Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 20

Centerline (Pitch): 9.53 mm [.375 in]

Features

Product Type Features

Product Type Features		
Block Style	Flat Bottom with standoffs	
Connector System	Wire-to-Board	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Number of Levels	1	
Number of Positions	20	
Number of Rows	1	
Electrical Characteristics		
Operating Voltage	300 V, 600 V	
Body Features		
Primary Product Color	Black	
Product Orientation	Vertical	
Barrier Strip Style	Tri-Barrier	
Contact Features		
PCB Contact Termination Area Plating Material	Tin	

Copper Alloy

5 A, 25 A

Contact Base Material

Contact Current Rating (Max)



Termination Features

Bottom Termination Type	Printed Circuit Pin			
Mechanical Attachment				
Screw Head Type	Combo Phil-Slot			
Screw Plating Material	Zinc Chromate			
Screw Material	Steel			
Top Termination Type	Wire Clamp Combo Head			
Mounting Options	None			
Thread Size	6-32			
Connector Mounting Type	Board Mount			
Housing Features				
Housing Material	Thermoplastic			
Centerline (Pitch)	9.53 mm[.375 in]			
Dimensions				
Product Length	192.05 mm[7.561 in]			
Wire Size	$.3 - 3 \text{ mm}^2$			
Usage Conditions				
Operating Temperature Range	0 – 105 °C[32 – 221 °F]			
Operation/Application				
Circuit Application	Power			
Industry Standards				
UL Flammability Rating	UL 94V-0			
Packaging Features				
Packaging Quantity	60			
Packaging Method	Package			

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	



Current ECHA Candidate List: JUNE	2024
(0.4.1)	

(241)

Candidate List Declared Against: JUNE

2024 (241)

Does not contain REACH SVHC

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability Wave solder capable to 265°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | Buchanan 6 Series



Customers Also Bought













TE Part #3-1761607-3
IDC LOW PRO HDR 40P RA LG LAT




TE Part #9-146253-0 80 MODII HDR DRST B/A .100CL L



TE Part #2-2842236-0 20P,2MM,SHRD HDR,DRVT,0.1AU,TB



TE Part #5120527-2 1FHP,84,30A/S,S,N,S10,12,13,15



TE Part #5053092267 RNF-100-1/4-BK-STK

Documents

Product Drawings

6PCV-20-006=#6 TRIBARRIER

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-1437654-9_P.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-1437654-9_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1437654-9_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 20 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series, Barrier Strips



1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE

English

Agency Approvals

UL

English