






10		9		8		7		6		5		4		3		2		1	
PART NUMBER		CKTS	QUANTITY PER BAG	BAGS PER CARTON	PARTS PER CARTON (SPQ)	MOISTURIZATION METHOD 		PANEL LOCK		 BUBBLE PAPER: 88596-1546  BAG: 96713-0003 (DETAILS REFER TO SHEET 2)  INNER CARTON 313005940 OR 885961537 2CELL DIVIDER QTY(2)  BUBBLE PAPER: 88596-1546  CARTON: 88596-1483									
215922-02*1		2	3000	4	12000	NO MOISTURIZATION		WITHOUT											
215922-04*1		4	2600	4	10400														
215922-06*1		6	2000	4	8000														
215922-08*1		8	1700	4	6800														
215922-10*1		10	1400	4	5600														
215922-12*1		12	1000	4	4000														
215922-1401		14	800	4	3200														
215922-1601		16	800	4	3200														
215922-1801		18	600	4	2400														
215922-2001		20	600	4	2400														
215922-2201		22	600	4	2400	SEE SHEET 2		WITH											
215922-2401		24	450	4	1800														
215922-02*0		2	2000	4	8000														
215922-04*0		4	1800	4	7200														
215922-06*0		6	1600	4	6400														
215922-08*0		8	1100	4	4400														
215922-10*0		10	1000	4	4000														
215922-12*0		12	900	4	3600														
215922-1400		14	800	4	3200														
215922-1600		16	700	4	2800														
215922-1800		18	600	4	2400														
215922-2000		20	600	4	2400														
215922-2200		22	400	4	1600														
215922-2400		24	350	4	1400														
TBD: NO PRODUCTION, TO BE ADDED AFTER BEING PRODUCED.										LEGEND 206461 - X X X X 0 - PANEL MOUNT 1 - FREE HANGING POLARIZATION / COLOR 0- BLACK 1 - NATURAL 2 - RED 3 - BLUE 4- YELLOW CKT SIZE 02-24									
NOTES:																			
1. MOISTURIZATION METHOD DESCRIPTIONG REFER TO SHEET 2.																			
2. STANDARD PAKAGE QUANTITY(SPQ) SEE ABOVE CHART.																			
3. PACKAGE WAY FOLOW RIGHT ILLUSTRATION.																			
4. ALL PAKAGE MATERIAL AND PRODUCT COMPLIANT TO																			
RoHS DIRECTIVE 2011/65/EU AND ELV DIRECTIVE 2000/53/EV.																			
DOCUMENT STATUS		P1	RELEASE DATE	2023/07/19 06:20:25															
10		9		8		7		6		5		4		3		2		1	

FUNCTIONAL SYMBOLS

 = 0

 = 0

 = 0

DIVISIONAL SYMBOLS

DIMENSION UNITS

mm

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± °

4 PLACES ±

3 PLACES ± 0.1

2 PLACES ± 0.3

1 PLACE ± 0.5

0 PLACES ±

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

SCALE

1:1

CURRENT REV DESC:

EC NO: 736922

DRWN: VENKAS5 2023/01/18

CHK'D: VENKAS5 2023/02/03

APPR: MRAMAKRISHNA 2023/02/03

INITIAL REVISION:

DRWN: GLLI 2021/10/28

APPR: XQZHANG 2021/11/15

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

215922

PACKING SPEC FOR MICRO-FIT PLUS WTW HSG

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER

2159220000-PK

DOC TYPE

PSD

DOC PART

000

REVISION

C

MATERIAL NUMBER



CUSTOMER

SHEET NUMBER

1 OF 2

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
FUNCTIONAL SYMBOLS FA = 0 FE = 0 FV = 0 DIVISIONAL SYMBOLS	DIMENSION UNITS		SCALE		CURRENT REV DESC:				
	mm		1:1						
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 736922 DRWN: VENKAS5 2023/01/18 CHK'D: VENKAS5 2023/02/03 APPR: MRAMAKRISHNA 2023/02/03 INITIAL REVISION: DRWN: GLLI 2021/10/28 APPR: XQZHANG 2021/11/15 THIRD ANGLE PROJECTION A3-SIZE 215922				
	ANGULAR TOL ± °								
	4 PLACES ±								
3 PLACES ± 0.1									
2 PLACES ± 0.3									
1 PLACE ± 0.5									
0 PLACES ±									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				PACKING SPEC FOR MICRO-FIT PLUS WTW HSG					
PRODUCT CUSTOMER DRAWING									
DOCUMENT NUMBER						DOC TYPE		DOC PART	REVISION
2159220000-PK						PSD		000	C
MATERIAL NUMBER				CUSTOMER				SHEET NUMBER	
								1 OF 2	

FREE HANGING PLUG PARTS





DIM'A'	DIM'B'	CKT SIZE
3.85	5.45	2
6.85	8.45	4
9.85	11.45	6
12.85	14.45	8
15.85	17.45	10
18.85	20.45	12
21.85	23.45	14
24.85	26.45	16
27.85	29.45	18
30.85	32.45	20
33.85	35.45	22
36.85	38.45	24

- NOTES:
- 1. MATERIAL: PA66, 94V-0, COLOR : SEE TABLE IN SHEET 5
 - 2. PRODUCT SPECIFICATION: 2159530000-PS.
 - 3. PACKAGE SPECIFICATION: 2159220000-PK.
 - 4. TO USE WITH TERMINAL OF 2015953-****.
 - 5. TO USE WITH TPA OF 206462-****.
 - 6. TO MATE WITH RECEPTACLE OF 206461-****.
 - 7. PARTS CONFORM TO CLASS 'B' REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
FA = 0 FE = 0 FE = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:					molex								
	mm		1:1															
	GENERAL TOLERANCES (UNLESS SPECIFIED)									EC NO: 760703 DRWN: VENKAS5 2023/02/28 CHK'D: VENKAS5 2023/08/24 APPR: MRAMAKRISHNA 2023/08/24 INITIAL REVISION: DRWN: GLLI 2021/01/29 APPR: XQZHANG 2021/11/15					PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR			
ANGULAR TOL ± °																		
DIVISIONAL SYMBOLS	4 PLACES		±		PRODUCT CUSTOMER DRAWING													
	3 PLACES		±															
	2 PLACES		± 0.2															
	1 PLACE		± 0.3															
0 PLACES	±				DOCUMENT NUMBER					DOC TYPE	DOC PART	REVISION						
					2159220000-SD					PSD	000	B						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER				
						A3-SIZE		215922				GENERAL MARKET		1 OF 6				

DOCUMENT STATUS	P1	RELEASE DATE	2023/08/24	11:19:06
-----------------	----	--------------	------------	----------

FREE HANGING PLUG PARTS



TERMINAL AND TPA ORIENTATION

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
FA = 0 FE = 0 FF = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC:			2159220000-SD PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR						
	mm		1:1											
	DIVISIONAL SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 760703 DRWN: VENKAS52023/02/28 CHK'D: VENKAS52023/08/24 APPR: MRAMAKRISHNA2023/08/24 INITIAL REVISION: DRWN: GLLI2021/01/29 APPR: XQZHANG2021/11/15 THIRD ANGLE PROJECTION A3-SIZE 215922					PRODUCT CUSTOMER DRAWING DOCUMENT NUMBER 2159220000-SD DOC TYPE PSD DOC PART 000 REVISION B MATERIAL NUMBER CUSTOMER GENERAL MARKET SHEET NUMBER 2 OF 6			
ANGULAR TOL ± °														
4 PLACES		±												
3 PLACES		±												
2 PLACES		± 0.2												
1 PLACE		± 0.3												
0 PLACES		±												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS														

molex

PLUG HOUSING OF MICRO-FIT PLUS WTW DR
POWER CONNECTOR

PRODUCT CUSTOMER DRAWING

2159220000-SD

PSD


000

B



GENERAL MARKET

2 OF 6

PANEL MOUNT PLUG PARTS





MOLEX LOGO




FIRST CIRCUIT INDICATOR

MOLEX SERIES NUMBER



3.00 (PITCH)





RECOMMENDED PANEL CUT OUT
(TOLERRANCE +/-0.05 THICKNESS=1.2~2.2MM)

DIM 'A'	DIM 'C'	DIM 'D'	DIM 'E'	DIM 'F'	CKT SIZE
3.85	6.25	10.77	8.77	4.15	2
6.85	9.25	13.77	11.77	7.15	4
9.85	12.25	16.77	14.77	10.15	6
12.85	15.25	19.77	17.77	13.15	8
15.85	18.25	22.77	20.77	16.15	10
18.85	21.25	25.77	23.77	19.15	12
21.85	24.25	28.77	26.77	22.15	14
24.85	27.25	31.77	29.77	25.15	16
27.85	30.25	34.77	32.77	28.15	18
30.85	33.25	37.77	35.77	31.15	20
33.85	36.25	40.77	38.77	34.15	22
36.85	39.25	43.77	41.77	37.15	24

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC:			
	FUNCTIONAL SYMBOLS	SCALE				
$\nabla_A = 0$	mm	1:1	EC NO: 760703 DRWN: VENKAS5 CHK'D: VENKAS5 APPR: MRAMAKRISHNA INITIAL REVISION: DRWN: GLLI APPR: XQZHANG THIRD ANGLE PROJECTION DRAWING SERIES MATERIAL NUMBER CUSTOMER SHEET NUMBER			
$\nabla_E = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)					
$\nabla_F = 0$	ANGULAR TOL	± °				
DIVISIONAL SYMBOLS	4 PLACES	±				
	3 PLACES	±				
	2 PLACES	± 0.2				
	1 PLACE	± 0.3				
	0 PLACES	±				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			2023/02/28 2023/08/24 2023/08/24 2021/01/29 2021/11/15 A3-SIZE 215922 GENERAL MARKET 3 OF 6			

DOCUMENT STATUS	P1	RELEASE DATE	2023/08/24	11:19:06
-----------------	----	--------------	------------	----------

PANEL MOUNT PLUG PARTS



FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
	DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex PLUG HOUSING OF MICRO-FIT PLUS WTW DR POWER CONNECTOR	
	mm		1:1							
	GENERAL TOLERANCES (UNLESS SPECIFIED)									
	ANGULAR TOL ± °									
F_A = 0	4 PLACES		±		EC NO: 760703				2023/02/28	
F_E = 0	3 PLACES		±		DRWN: VENKAS5					
F_V = 0	2 PLACES		± 0.2		CHK'D: VENKAS5					
DIVISIONAL SYMBOLS	1 PLACE		± 0.3		APPR: MRAMAKRISHNA				2023/08/24	
	0 PLACES		±		INITIAL REVISION:				DOCUMENT NUMBER	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		DOC TYPE	
A3-SIZE		215922		2159220000-SD		PSD				
GENERAL MARKET		4 OF 6								

[illegible]

