


Actuator

704.743.8

Distribution by DigiKey







Your product:



704.743.8 Actuator

Е	D	0	N	٦
г	п	v	14	

Front dimension: 35 mm x 35 mm

Front bezel material: Plastic

Front form: square

Front bezel colour: Silver

MOUNTING

Mounting cut-out: 30 mm x 30 mm

ELECTRICAL CHARACTERISTICS

Standards: The switches comply with the "Standards for low-voltage switching devices" DIN

EN 60947-1

MECHANICAL CHARATERISTIC

Weight: 0.02 kg

AMBIENT CONDITION

Storage temperature: $-40 \, ^{\circ}\text{C} \dots + 85 \, ^{\circ}\text{C}$

Operating temperature: $-40 \, ^{\circ}\text{C} \, ... + 55 \, ^{\circ}\text{C}$

IP Protection: IP65 front side

OTHER


Housing material: Plastic

Housing colour: Black


Short Description:

Actuator, 30 mm x 30 mm, 35 mm x 35 mm, square, Silver, Plastic


Wiring diagrams:



Dimension drawings:




A = Screw terminal



A = Screw terminal

Mounting cut-outs:




A = Screw terminal

B = Push-in terminal (PIT)

C = Plug-in terminal 6.3 mm x 0.8 mm

D = Double plug-in terminal 6.3 mm \times 0.8 mm



A = Screw terminal B = Push-in terminal (PIT)