




Connectors > Connector Accessories > Connector Seals & Cavity Plugs > DEUTSCH Sealing Plugs



Connector Seal & Plug Type: **Sealing Plug**
Primary Product Material: **PBT GF30**
Primary Product Color: **Red**
Operating Temperature (Max): **125 °C [257 °F]**
Contains Lubricant: **No**

[All DEUTSCH Sealing Plugs \(10\)](#)

Features

Product Type Features

Connector Seal & Plug Type	Sealing Plug
----------------------------	--------------

Body Features

Primary Product Material	PBT GF30
Primary Product Color	Red

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	1
Packaging Method	Box



Other

Contains Lubricant	No
--------------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-H3930-CH8172
DEUTSCH HD30 Housings



TE Part # CAT-J41-DDRC
DEUTSCH DT Receptacle Connectors






TE Part # CAT-H396-CH8172
DEUTSCH HDP20 Housings



TE Part # CAT-D485-CH8172
DEUTSCH DTM Housings



 TE Part # CAT-D781-CH8172 DEUTSCH DRB Housings	 TE Part # CAT-D799-CH8172 DEUTSCH DRC Housings	 TE Part # CAT-ST858-CH8172 DEUTSCH Strike Housings	 TE Part # CAT-J41-DDPC DEUTSCH DT Plug Connectors
 TE Part # CAT-J41-DDCC DEUTSCH DT Color Connectors	 TE Part # DTM04-08PC REC, 8P, GRN, N, C	 TE Part # DRCP28-86SB PLG, 86P, BLK, 12/20, B	 TE Part # DRCP28-86SC PLG, 86P, BLK, 12/20, C
 TE Part # DTM04-3P-R011 REC, 3P, BLK, 90DEG, PANEL	 TE Part # DTMH04-2PD REC, 2P, BLK, N, HI TEMP, D	 TE Part # DTMH04-4PD REC, 4P, BLK, N, HI TEMP, D	 TE Part # DTMH06-2SD PLG, 2P, BLK, N, HI TEMP, D
 TE Part # DTMH06-4SB PLG, 4P, BLK, N, HI TEMP, B	 TE Part # DTMH06-4SC PLG, 4P, BLK, N, HI TEMP, C	 TE Part # CAT-D487-CH8172 DEUTSCH DT Series Housings & Connectors	 TE Part # DTM04-12PA-EE04 REC, 12P, BLK, N, HIGH TEMP, A

Also in the Series | **DEUTSCH HD**

 Automotive Connector Caps & Covers (32)	 Automotive Housings(768)	 Connector Backshells(29)	 Connector Seals & Cavity Plugs(10)
--	---	---	---






Connector Strain Relief(5)



Insertion & Extraction Tools(11)



Other Automotive Connector Accessories(11)



PCB Headers & Receptacles(1)

Also in the Series

DEUTSCH HD30



Automotive Connector Caps & Covers (14)



Automotive Housings(359)



Connector Backshells(2)



Connector Seals & Cavity Plugs(11)



Connector Strain Relief(5)



Insertion & Extraction Tools(10)



Other Automotive Connector Accessories(6)

Customers Also Bought



TE Part #DTM04-12PA
DEUTSCH DTM Housings



TE Part #WM-12P
DEUTSCH DTM Wedgelocks



TE Part #0460-010-20141
DEUTSCH Solid Contacts



TE Part #W2S
WEDGE LOCK, 2P, PLG, ORG, STD, DT

Documents

- Product Drawings

SEALING PLUG, SIZE 20, RED

English
- CAD Files

3D PDF



3D

Customer View Model

[ENG_CVM_CVM_0413-204-2005_99_c-0413-204-2005-99.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0413-204-2005_99_c-0413-204-2005-99.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0413-204-2005_99_c-0413-204-2005-99.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[ICT Terminals and Connectors Catalogue](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English