

20

PRODUCT NUMBER	MATING LENGTH		PIN PLATING CODES:											
	DIM H	DIM H	10129383-9YYXXXLFL 1u"/0.025u MIN Au OVER 50u"/1.27u MIN Ni											
	ENGLISH	METRIC												
10129383-YYY001XLF	0.230	5.84												
10129383-YYY002XLF	0.318	8.08												

NOTES:

1. MATERIAL

BODAY MATERIAL: HIGH TEMPERATURE THERMOPLASTIC.
FLAME UL94-V0, BLACK.

PIN MATERIAL: COPPER ALLOY.

2. ANY NUMBER OF POSITIONS FROM 4(2X2) TO 40(2X20).

N=NO. OF POSITION /2

PRODUCT MAYBE CUTTING TO POSITION,
THE CUTTING PLASH IS 0.02[0.51] MAX.

3. PACKING STYLE DEFINITION.

B: PACKED WITH POLY BAG

T: PACKED WITH TUBE

A: PACKED WITH TAPE AND REEL WITH PICK UP CAP

C: PACKED WITH TAPE AND REEL WITHOUT PICK UP CAP

4. TWO SIDES OF PIN TIPS NOT PLATED, TYPICAL BOTH ENDS.

5. 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION BEFORE REFLOW.

6. THE OAL DON'T EXCEED 1 INCH / 25.4MM.

7. ADD LF AT THE END OF PART NUMBER IS FOR LEAD FREE.

8. THESE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATION AS DESCRIBED IN GS-22-008.

9. THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 20 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

10. PRODUCT SPECIFICATION: GS-12-1223

mat'l. code			surface / tolerance			projection		product family			
SEE NOTES 1			ISO 1302 ✓ ISO 406 ISO 1101					ECONOSTIK			
ltr ecrn nodr date			tolerances unless otherwise specified						title		
B			angles		linear		INCH/MM		ECONOSTIK HEADER		
					XXX±.01/XXX.03						
					.XXX±.008/XXX±0.20						
			0°±2°		XXX±.0040/XXX±0.100		scale 2:1		.100/2.54cc DR SMT		
			dr		ZK HU		04/23/14		dwg no		sheet2of2 size
			engr		ZK HU		04/23/14		10129383		A3
			chr		RICK BIAN		04/23/14		type		Product Customer Drawing
			appd		RICK BIAN		04/23/14				
sheet		revision									
index		sheet									

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

FCI / Amphenol:

<u>10129383-918001BLF</u>	<u>10129383-904001BLF</u>	<u>10129383-920002BLF</u>	<u>10129383-914001BLF</u>	<u>10129383-940001ALF</u>
<u>10129383-904002ALF</u>	<u>10129383-918002ALF</u>	<u>10129383-918001ALF</u>	<u>10129383-918002BLF</u>	<u>10129383-904001ALF</u>
<u>10129383-916001BLF</u>	<u>10129383-916002BLF</u>	<u>10129383-910002ALF</u>	<u>10129383-906002ALF</u>	<u>10129383-912002BLF</u>
<u>10129383-908001ALF</u>	<u>10129383-910002BLF</u>	<u>10129383-908002BLF</u>	<u>10129383-910001BLF</u>	<u>10129383-914002ALF</u>
<u>10129383-908001BLF</u>	<u>10129383-920001ALF</u>	<u>10129383-920002ALF</u>	<u>10129383-916002ALF</u>	<u>10129383-920001BLF</u>
<u>10129383-906002BLF</u>	<u>10129383-912001ALF</u>	<u>10129383-904002BLF</u>	<u>10129383-906001ALF</u>	<u>10129383-906001BLF</u>
<u>10129383-914001ALF</u>				