1-2350891-2 ACTIVE

DEUTSCH | DEUTSCH NTSEAL

TE Internal #: 1-2350891-2

Housing for Male Terminals, Wire-to-Wire, 20 Position, 3.5 mm [.138 in] Centerline, Sealable, Gray, Wire & Cable, Power, DEUTSCH

NTSEAL

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings











Connector System: Wire-to-Wire

Number of Positions: 20

Connector & Housing Type: Housing for Male Terminals

Centerline (Pitch): 3.5 mm [.138 in]

Sealable: Yes

Features

Product Type Features

Treader Type realares	
Mixed & Hybrid Connector	Yes
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Male Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	20
Number of Rows	5
Electrical Characteristics	
Nominal Voltage Architecture	24 V
Body Features	

Gray

Primary Product Color



Connector & Keying Code	В
Contact Features	
Contact Size	Size 16, Size 20
Contact Type	Pin
Mating Pin Diameter	1 mm, 1.55 mm[.039 in][.061 in]
Contact Current Rating (Max)	13 A
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	3.5 mm[.138 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-40 - 125 °C[-40 - 257 °F]
Operation/Application	
Circuit Application	Power
Other	
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part)



Decamethylcyclopentasiloxane (D5) (.5% in Component Part)

Article Safe Usage Statements:

Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





















TE Part # 1-2350890-2 20POS,HYBRID,SOC HSG ASSY,SLD, COD B



Also in the Series | DEUTSCH NTSEAL



Automotive Housings(68)



Connector Backshells(7)



Connector Seals & Cavity Plugs(8)



Other Automotive Connector Accessories(6)

Customers Also Bought



TE Part #2-1418448-1 3 POS AMP MCP1.5k REC. HSG COD



TE Part #2350890-1 20POS,HYBRID,SOC HSG ASSY,SLD, COD A



TE Part #2350890-2 20POS,HYBRID,SOC HSG ASSY,SLD, COD B



TE Part #2365741-1 2POS,TAB5.8X0.8,HDR ASSY,180DEG



TE Part #2-2393304-1 15POS,AMP MCP 2.8,REC HSG, UNSLD,COD B



TE Part #2379922-2 21POS,AMP MCP 2.8,TAB HSG, UNSLD,COD B



TE Part #3-2393304-1 15POS,AMP MCP 2.8,REC HSG, UNSLD,COD C



TE Part #4-2445760-1 21POS,2.8X0.8,TAB HSG,UNSLD,COD D



TE Part #5-2445760-1 21POS,2.8X0.8,TAB HSG,UNSLD,COD E

TE Part #2322347-4 12POS,HYBRID,REC HSG,UNSLD, COD 3



Documents

Product Drawings

20POS,HYBRID,PIN HSG ASSY,SLD,COD B

English

20POS,HYBRID,PIN HSG ASSY,SLD,COD B

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2350891-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2350891-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2350891-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English