



Connectors > D-Shaped Connectors > D-Sub Connectors > Crimp D-Sub Connectors >

D-Sub Crimp Recpt Signal 25 Posn, Socket Size 20, Shell Size 3



Connector & Housing Type: **Receptacle**

Connector System: **Cable-to-Cable**

Number of Positions: **25**

Contact Size: **Size 20**

Connector Shell Size: **3**

[All D-Sub Crimp Recpt Signal 25 Posn, Socket Size 20, Shell Size 3 \(10\)](#)

Features

Product Type Features

Shell Material Configuration	Full Metal Shell
Connector Seal & Plug Type	Grommet Seal
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable
Connector Shell Size	3
Sealable	No

Configuration Features

Number of Positions	25
---------------------	----

Body Features

Insert Material	Nylon GF
Mating Retention Feature Material	Stainless Steel



Shell Plating Material	Tin over Copper
------------------------	-----------------

Primary Product Color	Black
-----------------------	-------

Contact Features

Contact Options	Supplied – Uninstalled
-----------------	------------------------

Contact Size	Size 20
--------------	---------

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Mounting Feature Plating Material	Zinc
-----------------------------------	------

Mounting Feature Material	Steel
---------------------------	-------

Mating Retention	With
------------------	------

Mating Retention Type	Mounting Holes
-----------------------	----------------

Housing Features

Shell Material	Steel
----------------	-------

Housing Material	Nylon GF, Polyester GF
------------------	------------------------

Centerline (Pitch)	2.74 mm[.108 in]
--------------------	------------------

Dimensions

Compatible Insulation Diameter Range	4.7 – 8.13 mm
--------------------------------------	---------------

Wire Size	.2 – .56 mm²
-----------	--------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Shielded	Yes
----------	-----

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Quantity	1
--------------------	---

Packaging Method	Kit, Package
------------------	--------------

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 91503-1
CCII AMPLIMITE 20 DF PIN SKT 28-20 ASSY

Customers Also Bought

TE Part #828431-000
Bulbous Heat Shrink Boots: Lipped, Straight

TE Part #1658647-1
D-Sub Crimp: Plug, Signal, 15 Posn, Pin Size 20, Shell Size 2

TE Part #749805-7
KIT,HDP-20,PLUG,SIZE 1, 9 POSN

TE Part #749808-7
KIT,HDP-20,PLUG,SIZE 1, 25 POS



TE Part #1-2308341-5
FULL METAL HOODS SIZE 2-5 (RAW 180 DEG)

TE Part #536385-5
064 EURO TYPE B PIN BDLK ASSY

TE Part #5748677-5
PLTD PLST CBL CLMP KIT, SZ 5

TE Part #486085-000
CWT-9-W122-5

Documents

Product Drawings

KIT,HDP-20,RCPT,SIZE 3, 25 POS

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_749806-9_J.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_749806-9_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_749806-9_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

CSA Certificate

English