

Part Number: 988241021 Product Description: NSCC Pin Connector, Unsealed, 2.8mm, 5.00mm Pitch, 2 Circuits,

Black

Series Number: 98824 Status: Active

Product Category: Connector Housings Engineering Number: 08211EV2F1

Documents & Resources

Drawings

Drawing 988241021_sd.pdf

Packaging Design Drawing PK-98824-001-001.pdf

3D Models and Design Files

3D Model 988241021_stp.zip

Specifications

Application Specification 988210001-AS-CH-001.pdf Application Specification 988210001-PS-CH-001.pdf Product Specification PS-98821-001-001.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant
China RoHS	©
EU ELV	Compliant per 2000/53/EC
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2024)4144-DC (27 June 2024)
EU RoHS	Compliant per EU 2015/863

Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D

- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

EU RoHS Certificate of Compliance

Part Details

General

Status	Active
Category	Connector Housings
Series	98824
Description	NSCC Pin Connector, Unsealed, 2.8mm, 5.00mm Pitch, 2 Circuits, Black
Application	Power, Wire-to-Wire
Product Family	NSCC - New Standard Casing Contact
Product Name	NSCC
UPC	822348722846

Physical

Circuits Detail	2x2.80mm pins
Circuits (maximum)	2
Color - Resin	Black
Gender	Plug
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	Polyester
Net Weight	4.710/g
Number of Rows	1
Packaging Type	Carton
Panel Mount	No
Pitch - Mating Interface	5.00mm
Polarized to Mating Part	Yes
Ports	1
Stackable	No

Temperature Range - Operating	-40° to +85°C
remperature mange operating	10 10 10 1

Solder Process Data

Lead-Free Process Capability	N/A

Mates With / Use With

Mates with Part(s)

Description	Part Number
NSCC Unsealed Pin Connectors	98824

Application Tooling

Global

Description	Part Number
Extractor Tool for Unsealed Receptacle Connectors	638133800

This document was generated on Sep 15, 2024