

## 压线钳 - CRIMPFOX LC - 1206696

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

通用压线钳，配有软手柄，无压接插件，配有定位器收紧装置



### 关键商业数据

|           |                                                                                                       |
|-----------|-------------------------------------------------------------------------------------------------------|
| 包装单位      | 1 STK                                                                                                 |
| GTIN      | <br>4 017918 178840 |
| GTIN      | 4017918178840                                                                                         |
| 海关税则号     | 8203200000                                                                                            |
| Sales Key | BG313A                                                                                                |

### 技术数据

#### 机械特性

|    |    |
|----|----|
| 颜色 | 黑色 |
|----|----|

### 认证

#### 认证

认证

EAC

防爆认证

### 认证详情

EAC



RU x-  
DE.xx08.B.02974

## 压线钳 - CRIMPFOX LC - 1206696

附件

附件

工具箱

箱 - CRIMPFOX LC-BOX - 1206706



维修盒，无压线钳，配有13个隔间，用于放置压接插件，L x W x H：400 x 290 x 110 mm

---

钳口

压接插芯 - CRIMPFOX LC-AI 6 - 1206719



压接插件头，用于冷压头，0.25 - 6.0 mm<sup>2</sup>

---

压接插芯 - CRIMPFOX LC-UR 2,5 - 1206722



压线钳钳口，用于管接线头，0.75 - 2.5 mm<sup>2</sup>



---

备用钳口 - CRIMPFOX LC-RJ 45S - 1207420



CRIMPFOX LC通用压线钳钳口，用于压接VARIOSUB RJ45插头VS-08-ST-RJ45

---

压接插芯 - CRIMPFOX LC-UR 10 - 1206735



压线钳钳口，用于管接线头，4.0 - 10.0 mm<sup>2</sup>

## 压线钳 - CRIMPFOX LC - 1206696

### 附件

压接插芯 - CRIMPFOX LC-UC 6 - 1206751



压接头，用于非绝缘滑接式冷压头，4.8 -9.5 mm (对应于0.5 -6.0 mm²)

---

压接插芯 - CRIMPFOX LC-UC 1,5 - 1206748



压接头，用于非绝缘滑接式冷压头，2.8 -4.8 mm (对应于0.1 -1.5 mm²)