

扭矩螺丝刀 - TSD-M 1,2NM - 1212224

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



力矩螺丝刀，精度符合EN ISO 6789标准，可调范围0.3 - 1.2 Nm

为什么选择该产品

- ✓ 高精度，可微调扭矩螺丝刀，符合EN ISO 6789
- ✓ 扭矩螺丝刀，带六角快速连接手柄
- ✓ TSD-M ...扭矩螺丝刀，可调范围为3.0 - 6.0 Nm

RoHS

关键商业数据

包装单位	1 STK
GTIN	 4 046356 455589
GTIN	4046356455589
海关税则号	8536909000
Sales Key	BG314A

技术数据

尺寸

长度 (b)	150 mm
厚度 (a)	36.5 mm
高度 (c)	36.5 mm

概述

颜色	黑色
----	----

认证

认证

扭矩螺丝刀 - TSD-M 1,2NM - 1212224

认证

认证

EAC

防爆认证

认证详情

EAC



RU x-
DE.xx08.B.02974

附件

附件

螺丝刀工具

螺丝刀头 - BHN 5,5 - 1209965



螺母，六角，5.5 mm

螺丝刀头 - BHN 8 - 1209978



螺母，六角，8 mm

螺丝刀头 - BHN 10 - 1209981



套筒扳手插芯，磁性，六角，10 mm，1/4"驱动，适用符合DIN 3126-F 6.3/ISO 1173的支架

扭矩螺丝刀 - TSD-M 1,2NM - 1212224

附件

螺丝刀头 - BHN 13 - 1209994



螺母，六角，13 mm

适配器插件 - TSD-M SAC-BIT ADAPTER - 1212600



用于TSD-M...扭矩工具的适配器螺丝刀头，用4 mm六角E6.3-1/4"驱动以安装SAC头

适配器

螺丝刀头 - BF 6,3 - 1209936



用于1/4"螺丝刀头支架的适配器