

扭矩螺丝刀 - TSD-M 6NM - 1212226

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



力矩螺丝刀，精度符合EN ISO 6789标准，可调范围3 - 6 Nm

为什么选择该产品

- ✓ 高精度，可微调扭矩螺丝刀，符合EN ISO 6789
- ✓ TSD-M ...扭矩螺丝刀，可调范围为3.0 - 6.0 Nm
- ✓ 扭矩螺丝刀，带六角快速连接手柄

关键商业数据

包装单位	1 STK
GTIN	 4 046356 455572
GTIN	4046356455572
海关税则号	8536909000
Sales Key	BG314A

技术数据

尺寸

长度 (b)	152 mm
厚度 (a)	37.5 mm
高度 (c)	100 mm
刀片厚度	0 mm
刀片宽度	0 mm

概述

颜色	黑色
----	----

认证

认证

认证

EAC

扭矩螺丝刀 - TSD-M 6NM - 1212226

认证

防爆认证

认证详情

EAC	EAC	RU x- DE.xx08.B.02974
-----	-----	--------------------------

附件

附件

螺丝刀工具

螺丝刀头 - BHN 5,5 - 1209965



螺母，六角，5.5 mm

螺丝刀头 - BHN 8 - 1209978



螺母，六角，8 mm

螺丝刀头 - BHN 10 - 1209981



套筒扳手插芯，磁性，六角，10 mm，1/4"驱动，适用符合DIN 3126-F 6.3/ISO 1173的支架

螺丝刀头 - BHN 13 - 1209994



螺母，六角，13 mm

扭矩螺丝刀 - TSD-M 6NM - 1212226

附件

适配器插件 - TSD-M SAC-BIT ADAPTER - 1212600



用于TSD-M...扭矩工具的适配器螺丝刀头，用4 mm六角E6.3-1/4"驱动以安装SAC头

适配器

螺丝刀头 - BF 6,3 - 1209936



用于1/4"螺丝刀头支架的适配器