



TMS-CT

TE Internal #: ER9652-000  
Continuous, Commercial, 3:1 Shrink Ratio, Pink, 9.5mm [.375in]  
Expanded Inside Diameter, TMS-CT, Printable Tubing  
[View on TE.com >](#)

Identification & Labeling > Printable Tubing > CONTINUOUS TUBE MILITARY GRADE TMS-CT



Printable Tubing Type: **Continuous**  
Printable Tubing Grade: **Commercial**  
Shrink Ratio: **3:1**  
Primary Product Color: **Pink**  
Expanded Inside Diameter (Min): **9.5 mm [ .375 in ]**

All CONTINUOUS TUBE MILITARY GRADE TMS-CT (76)

Features

Product Type Features

|                        |            |
|------------------------|------------|
| Printable Tubing Type  | Continuous |
| Printable Tubing Grade | Commercial |

Body Features

|                       |      |
|-----------------------|------|
| Shrink Ratio          | 3:1  |
| Primary Product Color | Pink |

Dimensions

|                                 |                             |
|---------------------------------|-----------------------------|
| Expanded Inside Diameter (Min)  | 9.5 mm[.375 in]             |
| Recovered Inside Diameter (Max) | 3.2 mm[.125 in]             |
| Compatible Cable Diameter Range | 3.5 – 8.1 mm[.137 – .32 in] |

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 135 °C[-67 – 275 °F] |
|-----------------------------|----------------------------|

Printer/Label Features

|                    |                  |
|--------------------|------------------|
| Printer Technology | Thermal Transfer |
|--------------------|------------------|

Packaging Features

|                    |    |
|--------------------|----|
| Packaging Quantity | 50 |
|--------------------|----|



Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                       |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2024 (241)<br>Candidate List Declared Against: JUNE 2024 (241)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.                                                                                  |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                    |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2186577-1  
T7112DS-SWARE-PRINTER



TE Part # EC9926-000  
PRINTER-UNIVERSAL-REEL-HOLDER



TE Part # 1-2186527-1  
T2212-PRINTER



TE Part # 1-2186576-1  
T7112DS-PRINTER

Also in the Series | TMS-CT



Customers Also Bought

TE Part #DT04-2P  
REC, 2P, GRY, N

TE Part #DT06-2S  
PLG, 2P, GRY, N

TE Part #W2S  
Wedgelocks: DEUTSCH DT

TE Part #0460-202-16141  
DEUTSCH Solid Contacts

TE Part #282104-1  
AMP SUPERSEAL 1.5MM,  
CONNECTOR HOUSING

TE Part #281934-2  
SINGLE WIRE SEAL

TE Part #114017-ZZ  
SEALING PLUG, SIZE 12/16, WHT

Documents

Product Drawings  
TMS-CT-50M-3/8-OUT-2L  
English

Datasheets & Catalog Pages  
Printable Continuous Tubing  
English  
Cable Identification Product Shelf Life  
English

Product Specifications  
Product Specification  
English

Instruction Sheets  
Instruction Sheet (non U.S.)  
English

ER9652-000

Continuous, Commercial, 3:1 Shrink Ratio, Pink, 9.5mm [.375in] Expanded Inside Diameter, TMS-CT, Printable Tubing

